






NOTES:

1. SPECIFICATIONS: (OPTION)

ELECTRICAL:

RATING CURRENT: 0.5 A

INSULATION RESISTANCE: 1000M Ω Min. at 100V DC

CONTACT RESISTANCE: 100 m Ω Max.

WITHSTANDING VOLTAGE: 500V AC

MECHANICAL:

CONTACT RETENTION Force: 0.25kgf MIN.

INSERTION FORCE: 4.2kgf MAX.

WITHDRAWAL FORCE: 0.21kgf MIN.

Durability:10,000 times

ITEM 項目	PARTS NAME 零件名稱	MATERIAL 材質	FINISH/REMARK 處理/備註
A	HOUSING	LCP	BLACK
B	SHELL	STAINLESS T=0.2	NON-PLATING
C	HOLDDOWN CONTACT	C 2680 T=0.20	100 μ *MIN. TIN PLATING ON SOLDER TAIL AREA 50 μ *MIN. NICKEL UPDERPLATING OVERALL
D	CAM PIN	STAINLESS ϕ 0.4	NON-PLATING
E	CARD LOCK	STAINLESS T=0.20	NON-PLATING
F	SLIDER CAM	LCP	BLACK
G	SPRING	SWP ϕ 0.25	50 μ *MIN. NICKEL UPDERPLATING OVERALL
H	CONTACT-SD	PHOSHPOR BRONZE T=0.15	5 μ *MIN. GOLD PLATING ON CONTACT AREA 100 μ *MIN. TIN PLATING 50 μ *MIN. NICKEL UPDERPLATING OVERALL
I	PROTECT CONTACT		
J	PROTECT CONTACT AND DETECT CONTACT-SWITCH		
K	DETECT CONTACT		
L	假卡	LCP	BLACK

2. WHEN DELIVERING, THE PSH/PUSH MECHANISM IS IN THE STATE OF THE UNLOCK.

(CARD DASHING OUT POSITION)

3. CARD READ ONLY BY THE TIME THE CARD DETECTION SWITCH WORKS.

4. OPEN AND CLOSE OF EACH SWITCH.

CARD INSERTION STATUS	WRITE PROTECT SWITCH		DETECT SWITCH
	WRITE PROTECT POSITION	WRITE ENABLE POSITION	
CARD UNINSERTION	OPEN	OPEN	OPEN
CARD HALF INSERTION	COLSE	COLSE	OPEN
CARD INSERTION	OPEN	COLSE	COLSE

5.PART NO.

SERIES Δ F 0 3 - 0655 - 00 008
F=MEMORY CARD
TYPE
0=OTHER PITCH
CONTACT TYPE
3=SMT TYPE
MODEL NO.
TYPE NO.
008=Type 8
CONTACT NUMBER
00=REF. NO.

Wellco T&C Co., Ltd.

REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容	SIGN 修改	DATE 日期	UNLESS OTHERWISE SPECIFIED TOLERANCE 尺寸公差 .X $\pm$ 0.50 .X $\pm$ 0.30 .XX $\pm$ 0.20 ANG. $\pm$ 5'00"	CHECKED 審核	DESIGNED 設計 JIMMY 10/20/05"	UNIT 單位 MM	TITLE 產品名稱 SD MEMORY CARD CONN REVERSE TYPE WITH PUSH PUSH (FOR MOLEX SD-67913-001)加長版	PART NO. 產品料號 Δ F03-0655-00008	REV. 版本 B
B	EXXX-XXX	Δ X 2	新系統料號變更	Kai	31/01/07							
A	EXXX-XXX	Δ X 1	-	-	-		APPROVED 承認	DRAWN 製圖 JIMMY 10/20/05"	SCALE 比例 A4	DOC. NO. 文件編號 CUT-0655-008 1/3		

